

# Michael Barugh

Steel Stockholding Ltd.



## Handrail standards range

## Handrail standards range



### Handrail standard sizes

25 n.b. (33.7 o.d.) shank – 62 dia ball to suit 25 n.b. 32 n.b. (42.4 o.d.) shank – 76 dia ball to suit 32 n.b. 40 n.b. (48.3 o.d.) shank – 76 dia ball to suit 40 n.b.\*

#### Also

32 n.b. (42.4 o.d.) shank – 62 dia ball to suit 25 n.b.\* 40 n.b. (48.3 o.d.) shank – 76 dia ball to suit 25 n.b.\* 40 n.b. (48.3 o.d.) shank – 76 dia ball to suit 32 n.b.\*

#### We hold large stocks of steel tubing.

### Handrail finishes

<b>1</b> A	-	Self-colour
<b>2B</b>	-	Galvanized
<b>3C</b>	-	Galvanized
<b>4D</b>	-	Galvanized
<b>5B</b>	-	Galvanized
<b>6C</b>	-	Galvanized
<b>7D</b>	-	Galvanized

Galvanized standards are supplied fitted with grub screws.

90° bend

**Return bend** 

## Tubular balls



### Tubular ball sizes

QC150

62mm dia ball to suit 25 n.b. (33.7 o.d.) 76mm dia ball to suit 32 n.b. (42.4 n.b.) 76mm dia ball to suit 40 n.b. (48.3 n.b.)\*





English Street, Hull, East Yorkshire HU3 2BS tel 01482 381890 fax 01482 381898 email info@mbsteel.co.uk web www.mbsteel.co.uk